

*Los Angeles*

**CONVENTION  
CENTER**




**FLOORPLANS AND SPECIFICATIONS**

# LEVEL ONE - EXHIBIT HALLS

## Level One - Exhibit Space

- Exhibit Space
- Pre-function/Registration
- Show Offices
- Restaurant/Concessions
- Business Service Center
- FD** Freight Door
- FE** Freight Elevator
- PE** Passenger Elevator
- M** Men's Restroom
- W** Women's Restroom
- AG** All Gender Restroom
- E** Escalator
- G** Groundwork Coffee & Concessions
- A** ATM
- Column
- + First Aid/Lactation Room




Steps from L.A. LIVE, crypto.com Arena and Peacock Theater, the Los Angeles Convention Center is at the heart of a dynamic urban lifestyle and the city's vibrant commercial center.



# LOWER LEVEL - KENTIA HALL

## Lower Level - Exhibit Space

- Exhibit Space
- Pre-function/Registration
- Show Offices
- Restaurant/Concessions
- FD** Freight Door
- FE** Freight Elevator
- PE** Passenger Elevator
- M** Men's Restroom
- W** Women's Restroom
- E** Escalator
- Column



# LEVEL ONE & LOWER LEVEL - EXHIBIT HALLS

Maximum Capacity\*

West Hall	DIMENSIONS	SQUARE FEET	CEILING HEIGHT	10'X10'	Maximum Capacity*		
					THEATRE	CLASSROOM <sup>(a)</sup>	BANQUET <sup>(b)</sup>
A	342 x 363	147,506	36'***	715	10,000	‡	7,500
B	342 x 194	63,619	36'***	300	5,000	‡	2,500
AB combined	342 x 557	210,685	36'***	1,050	15,000	‡	10,000
Petree Hall	DIMENSIONS	SQUARE FEET	CEILING HEIGHT	10'X10'	THEATRE	CLASSROOM <sup>(a)</sup>	BANQUET <sup>(b)</sup>
C	83 x 114	9,462	17'***	45	1,010	500	470
D	111 x 114	11,926	17'***	60	1,200	600	500
CD combined	194 x 112	21,557	17'***	115	2,000	1,000	1,000
Concourse Hall	DIMENSIONS	SQUARE FEET	CEILING HEIGHT	10'X10'	THEATRE	CLASSROOM <sup>(a)</sup>	BANQUET <sup>(b)</sup>
150A or C, 153A or C	40 x 33	1,320	17'	‡	100	50	50
150B or 153B	40 x 42	1,680	17'	‡	140	100	60
150AB or BC, 153AB or BC	40 x 75	3,000	17'	‡	300	120	110
150ABC or 153ABC	40 x 109	4,360	17'	‡	360	220	180
151 or 152	74 x 117	8,658	17'	40	1,020	590	440
150 & 151 (Concourse E)	115 x 109/117	13,123	17'	65	1,500	830	675
151 & 152	148 x 117	17,316	17'	100	1,800	1,000	900
152 & 153 (Concourse F)	115 x 109/117	13,123	17'	65	1,500	830	675
150, 151, 152, 153 combined	230 x 109/117	26,342	17'	135	2,700	1,500	1,400
South Hall	DIMENSIONS	SQUARE FEET	CEILING HEIGHT	10'X10'	THEATRE	CLASSROOM <sup>(a)</sup>	BANQUET <sup>(b)</sup>
G	300 x 360	96,660	40'	490	6,300	‡	3,620
H	180 x 360/460	76,785	40'	420	‡	‡	‡
J	180 x 360/460	76,785	40'	420	‡	‡	‡
K	300 x 360	96,660	40'	490	6,300	‡	3,620
GH combined	480 x 360/460	173,445	40'	880	11,400	‡	6,400
HJ combined	360 x 360/460	153,570	40'	840	10,000	‡	5,400
JK combined	480 x 360/460	173,445	40'	880	11,400	‡	6,400
GHJ/HJK combined	600 x 360/460	250,230	40'	1,371	16,555	‡	8,000
GHJK combined	940 x 360/460	346,890	40'	1,720	22,870	‡	12,800
Kentia Hall	DIMENSIONS	SQUARE FEET	CEILING HEIGHT	NUMBER OF BOOTHS		BANQUET <sup>(b)</sup>	
Kentia Hall (Located below HJ)	360' x 460'	162,000	18' min	844 (10' x 10') + 64 (8' x 10')		5,000	

\* Capacities subject to change based on staging and audio-visual.

\*\* 25' Soffit




‡ Custom capacity based on Fire Marshal approval

\*\*\* 15' Soffit

(a) Classroom set based on four (4) per 8'x18" table

(b) Banquet set based on ten (10) per 66" round table.

# LEVEL TWO - MEETING ROOMS (300, 400, 500 SERIES)



- Level Two - Meeting Space**
- Exhibit Space (Level 1)
  - Pre-function/Registration
  - Show Offices
  - FD** Freight Door
  - FE** Freight Elevator
  - PE** Passenger Elevator
  - M** Men's Restroom
  - W** Women's Restroom
  - AG** All Gender Restroom
  - E** Escalator

# MEETING ROOM SERIES - LEVEL TWO

South Hall	DIMENSIONS	SQUARE FEET	CEILING HEIGHT	Maximum Capacity*		
				THEATRE	CLASSROOM <sup>(a)</sup>	BANQUET <sup>(b)</sup>
301 A	46 x 28	1,288	13'9"	100	50	50
301 B	46 x 29	1,334	13'9"	100	50	50
301 AB	46 x 58	2,668	13'9"	260	130	110
302 (Show Office)	46 x 19	874	13'9"			
303 A or B	46 x 28	1,288	13'9"	100	50	50
303 AB	46 x 57	2,622	13'9"	260	130	110
304 A, B, or C	46 x 29	1,334	13'9"	100	50	50
304 AB or BC	46 x 59	2,714	13'9"	260	130	110
304 ABC	46 x 89	4,094	13'9"	350	210	160
305 (Show Office or Meeting Room)	46 x 29	1,334	13'9"	100	50	50
306 A or B	46 x 28	1,288	13'9"	100	50	50
306 AB	46 x 57	2,622	13'9"	260	130	110
307 (Show Office)	46 x 19	874	13'9"			
308 A	46 x 29	1,334	13'9"	100	50	50
308 B	46 x 28	1,288	13'9"	100	50	50
308 AB	46 x 58	2,668	13'9"	260	130	110
309	35 x 57	1,995	13'9"	150	95	90
Concourse Hall	DIMENSIONS	SQUARE FEET	CEILING HEIGHT	THEATRE	CLASSROOM <sup>(a)</sup>	BANQUET <sup>(b)</sup>
401	37 x 23	851	15'	50	40	30
402 A or B	37 x 41	1,517	20'	150	60	50
402 AB	37 x 82	3,034	20'	300	160	130
403 A	53 x 82	4,346	20'	500	280	200
403 B	50 x 82	4,100	20'	500	280	200
403 AB	103 x 82	8,446	20'	1,000	560	400
404 A or B	41 x 41	1,681	20'	150	70	60
404 AB	41 x 82	3,362	20'	300	160	150
405	41 x 40	1,640	15'	150	70	60
406 A or B	41 x 41	1,681	20'	150	70	60
406 AB	41 x 82	3,362	20'	300	160	150
407	41 x 40	1,640	15'	150	70	60
408 A or B	52 x 82	4,264	20'	500	280	200
408 AB	104 x 82	8,528	20'	1,000	560	400
409 A or B	41 x 41	1,681	20'	150	70	60
409 AB	41 x 82	3,362	20'	300	160	150
410	41 x 40	1,640	15'	150	70	60
411 (Theatre)		3,940	15'8"	299 fixed seating		

\*Capacities listed above subject to change based on staging and audio-visual.

(a) Classroom set based on four (4) per 8'x18" table

(b) Banquet set based on ten (10) per 66" round table

West Hall	DIMENSIONS	SQUARE FEET	CEILING HEIGHT	Maximum Capacity*		
				THEATRE	CLASSROOM <sup>(a)</sup>	BANQUET <sup>(b)</sup>
501 A or B or C	41 x 28	1,148	13'6"	100	50	50
501 AB or BC	57 x 41	2,337	13'6"	200	140	100
501 ABC	87 x 40	3,480	13'6"	300	190	150
502 A or B	86 x 55	4,730	13'11"	550	280	200
502 AB	84 x 110	9,240	13'11"	1,125	560	550
503	57 x 42	2,394	13'4"	250	120	100
504	45 x 27	1,215	9'11"	100	50	50
505	45 x 27	1,215	9'11"	100	50	50
506	45 x 27	1,215	9'11"	100	50	50
507	41 x 31	1,213	9'11"	100	50	50
508 A (Lounge)	27 x 31	837	9'11"			
508 B or C (Boardroom)	15 x 28	420	9'11"			
509 A (Show Office)	12 x 15	180	9'11"			
509 B (Show Office)	55 x 16	880	9'11"			
509 C (Show Office)	27 x 15	405	9'11"	Existing Set: Boardroom For 8		
510	45 x 27	1,170	9'11"	100	50	50
511 A or B	42 x 28	1,176	13'6"	100	50	50
511 C	42 x 28	1,176	13'6"***	100	50	50
511 AB or BC	57 x 42	2,394	13'6"***	200	140	100
511 ABC	86 x 40	3,440	13'6"	300	190	150
512	45 x 27	1,215	9'11"	100	50	50
513	42 x 27	1,134	9'11"	100	50	50
514	42 x 27	1,134	9'11"	100	50	50
515 A or B	104 x 55	5,720	13'11"	650	360	240
515 AB	102 x 110	11,220	13'11"	1,300	720	650
516	23 x 14	322	9'11"	20	12	10
517	22 x 14	308	9'	20	12	10
518	57 x 42	2,394	13'4"	250	120	100
519	24 x 15	360	8'11"	20	12	10

\*Capacities subject to change based on staging and audio-visual.

\*\*10' soffit along divider wall tracks

(a) Classroom set based on four (4) per 8'x18" table

(b) Banquet set based on ten (10) per 66" round table





# EXHIBIT AND SPECIAL EVENTS HALLS SPECIFICATIONS

## SOUTH HALL

- **South Lobby**
  - 51,000 gross sq. ft.
  - Ceiling: 28'-53'
  - Pre-function Space: 8,072 sq. ft. (shared)
  - Loading Door: 12'w x 8'h
  - Floor Load for Lobby: 100 lbs. per sq. ft.
  - Permanent First Aid Room
- **Hall G/Hall K**
  - Show office: (G) Room 302 (847 sq. ft.)  
(K) Room 307 (847 sq. ft.)
  - Loading Docks: 10 each
  - Freight Door: 23'6" w x 37'h
  - Roll-Up Door: 16'1" w x 13'2" h
  - Interior Roll-Up Door: 9'7" w x 8'8" h
  - Pre-function Space: (G) 2,520 sq. ft.  
(K) 7,601 sq. ft.
- **Hall H/Hall J**
  - Show Office: Room 305 (1,334 sq. ft.)
  - Loading Docks: 7 each
  - Freight Door: 16'1" w x 23'6" h
  - Pre-function Space: (H) 2,520 sq. ft.  
(J) 3,032 sq. ft.

### South Hall Specifications

- Floor Load: 350 lbs. per sq. ft.
- Floor boxes on 30' centers equipped with
  - Electrical 208 volt, 3-phase up to 150 amps
  - Telecommunication connections
  - Two (2) 1Gb CAT 5 connections to fiber node
  - Potable and industrial water service and drain
  - Compressed air and natural gas (specialized locations)\*
- Fixed hang points with 800 lb. maximum load
- Lighting
  - 51' candles
  - 230 watt energy efficient Lunera lamps
- Service available from overhead catwalks or floor ports
  - Electrical 208 or 480 volt, 3-phase up to 400 amps\*\*
  - High Density Wi-Fi connectivity
  - Audio and video connections
- Sound System
  - Digital delay system

## WEST HALL

- **West Lobby**
  - 33,925 gross sq. ft.
  - Ceiling: 9'-46'
  - Pre-function Space: 4,310 sq. ft. (shared)
  - Freight Door: 24'10" w x 13'5" h
  - Floor Load for Lobby: 100 lbs. per sq. ft.
  - Permanent First Aid Room
- **Hall A**
  - Show office: Rooms 509ABC (1,465 sq. ft.)
  - Loading Docks: 4
  - Freight Door: 52'7" w x 25'h  
24' w x 13'4" h (2)
  - Roll-Up Door: 5'10" w x 6'11" h (2)
  - Pre-function Space: 1,175 sq. ft.
- **Hall B**
  - Show Office: Room 101 (280 sq. ft.)
  - Loading Docks: 3
  - Freight Door: 24' x 13'4" h
  - Roll-Up Door: 5'10½" w x 6'11" h
  - Pre-function Space: 686 sq. ft.

### West Hall Specifications

- Floor Load: 300 lbs. per sq. ft.
- Ground-level and raised docks available for loading. (Decorator supplied dock plates are required for raised dock loading.)
- Floor ports on 10' centers to provide service for
  - Electrical: 208 or 480 volt, 3-phase up to 400 amps
  - Telecommunication connections
  - Potable and industrial water service and drain
  - Compressed air and natural gas (specialized locations)\*
- Fixed hang points with 800 lb. maximum load
- Lighting
  - 46' candles
  - 230 watt energy efficient Lunera lamps
- Service available from overhead catwalks or floor ports
  - Electrical 208 or 480 volt, 3-phase up to 400 amps\*\*
  - High Density Wi-Fi connectivity
  - Audio and video connections
- Sound System
  - Digital delay system

## KENTIA HALL

- **Kentia Lobby**
  - 11,000 gross sq. ft.
  - Ceiling: 8'6"-21'3"
  - Pre-function Space: 1,000 sq. ft.
- **Kentia Exhibit Hall**
  - Show Office: 1,288 sq. ft.
  - Loading Docks: 6
  - Freight Door: 25'w x 15'h (4)
  - Roll-Up Doors: 7'w x 8'8" h (2)
  - Interior Roll-Up Doors: 16'7" w x 8'6" h (2)
  - Columns: 30" diameter on 30' centers

### Kentia Hall Specifications

- Floor Load: unlimited
- Column and wall boxes equipped with
  - Electrical: 208 volt, 3-phase electrical up to 150 amps
  - Telecommunication connections
  - Two (2) 1Gb CAT 5 connections to fiber node
  - Potable and industrial water service and drain (specialized locations)\*
  - Compressed air and natural gas (specialized locations)\*
- Lighting
  - 53' candles
  - 230 watt energy efficient Lunera lamps
- Services available from overhead or wall boxes
  - Electrical 480 volt, 3-phase up to 400 amps
  - High Density Wi-Fi connectivity
  - Audio and video connections
- Sound System
  - Audio and video connections
  - Digital delay system

\*Compressed air and natural gas available at specialized locations only; consult your service provider for exact locations.

\*\*Electrical in catwalks available upon special request.

# EXHIBIT AND SPECIAL EVENTS HALLS SPECIFICATIONS

## CONCOURSE HALL

- Concourse Hall EF (150/151/152/153)
  - Carpeted Special Events/Exhibit Hall
  - Show Office: Room 105 (245 sq. ft.)
  - Loading Docks: 0\*
  - Freight Door: 9'7" w x 10' h
  - Pre-function Space: 12,418 sq. ft.
  - Divisible into 8 sections

### Concourse Hall Specifications

- Floor Load: 100 lbs. per sq. ft.
- Wall boxes and floor boxes equipped with
  - Electrical: 208 or 480 volt, 3-phase up to 400 amps
  - Telecommunications connections
- Services available
  - High Density Wi-Fi connectivity
  - Audio and video connections
- Sound System
  - Distributed speaker system
- Lighting system
  - 50' candles
  - 32 watt NaturaLED box lights and 17 watt NaturaLED tube lights

\*Loading area available without raised docks

## PETREE HALL

- Petree Hall CD
  - Carpeted Special Events/Exhibit Hall
  - Show Office: Room 103 (270 sq. ft.)
  - Loading Docks: 0\*
  - Freight Door: 11'3" w x 13'9" h  
9'8" w x 8'11" h (2)
  - Pre-function Space: 196 sq. ft.
  - Divisible into 2 sections

### Petree Hall Specifications

- Floor Load: 100 lbs. per sq. ft.
- Wall boxes equipped with
  - Electrical: 208 or 480 volt, 3-phase up to 400 amps
  - Telecommunications connections
- Floor Ports (specialized locations)\* provide access to
  - Potable and industrial water service and drain
  - Compressed air
  - Natural gas
- Services Available
  - High Density Wi-Fi connectivity
  - Audio and video connections
- Sound system
  - Distributed speaker system
- Lighting system
  - 43' candles

\*Loading area available without raised docks

# MEETING ROOM SPECIFICATIONS (300, 400, 500 SERIES) LEVEL TWO

## Meeting Rooms

- Carpeted rooms
- Pre-function space: varies per room
- Floor load: 100 lbs per sq. ft.

## Audio/ Video

- Custom installation available

## Electrical

- 120 volt, 20 amp outlets
- 208 volt, 3-phase electrical service

## Telecommunications

- Wireless internet is available throughout the building
- Single-line and multi-line telephones
- Various telephone programming functions (call forwarding, hunt groups, etc.)

## Lighting System


- Pre-programmed settings
- 35 watt energy efficient LG lamps in 300-400 meeting rooms

## Network

- Two (2) 100/1000 MB, CAT 5 connections to fiber node
- Facility-wide fiber optic cabling backbone



**DIGITAL  
DIAGRAM  
BROCHURE**



**EVENT  
PLANNING  
GUIDE**



**LOOK  
BOOK**



**AUTHORIZED  
CONTRACTORS**

*Los Angeles*

**CONVENTION  
CENTER**



1201 South Figueroa Street  
Los Angeles, CA 90015

phone: (213) 741-1151

[www.lacclink.com](http://www.lacclink.com)